ATTESTATION OF CONFORMITY

Issued to: FOXESS Co., Ltd. No.939, Jinhai Third Road, New Airport Industry Area, Longwan District, Wenzhou City, Zhejiang Province, P.R. China. For the product: **PV Grid-tied Inverter** Trade name: F3000, F3600, F4600, F5000, F5300, F6000 Type/Model: Ratings: See Annex Manufactured by: FOXESS Co., Ltd. No.939, Jinhai Third Road, New Airport Industry Area, Longwan District, Wenzhou City, Zhejiang Province, P.R. China. Requirements: BS EN 61000-6-1:2007, EN 61000-6-1:2007 BS EN 61000-6-2:2005, EN 61000-6-2:2005 BS EN 61000-6-3:2007+A1:2011+AC:2012, EN 61000-6-3:2007+A1:2011+AC:2012 BS EN 61000-6-4:2007+A1:2011, EN 61000-6-4:2007+A1:2011

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no. 22B0149R-PV-CE-P01V01

This Attestation implies that the examined types are in accordance with the standards designated under the Electromagnetic Compatibility Regulations 2016.

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

The UKCA marking may be affixed on the product if all relevant and effective UK regulations are complied with.

Arnhem, 14 December 2022

Number: 6143753.01AOC

DEKRA Testing and Certification (Shanghai) Ltd.,

Kreny Lin Certification Manager Page 1 of 2

 $\ensuremath{\mathbb{C}}$ Integral publication of this attestation and adjoining reports is allowed

DEKRA Testing and Certification (Shanghai) Ltd. 3F #250 Jiangchangsan Road Shibei Hi-Tech Park, 200436 Jing'an District, Shanghai, China T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-product-safety.com UKCA



Annex

Document no. : 6143753.01AOC

Operating temperature range: - 20°C to + 60°C Protective class: I Ingress protection rating: IP65 Power factor range (adjustable): 0,8 leading...0,8 lagging

F3000:

PV input: Max 600 Vdc, MPPT voltage range: 80-550 Vdc, max 12.5 A /12.5 A, Isc PV: 15 A/15 A Output: 230 Vac, 50/60 Hz, rated apparent power 3000VA, max apparent power 3300 VA, rated 13.0 A, max 14.3 A

F3600:

PV input: Max 600 Vdc, MPPT voltage range: 80-550 Vdc, max 12.5 A /12.5 A, Isc PV: 15 A/15 A Output: 230 Vac, 50/60 Hz, rated apparent power 3600 VA, max apparent power 3960 VA, rated 15.7 A, max 17.2 A

_....

F4600:

PV input: Max 600 Vdc, MPPT voltage range: 80-550 Vdc, max 12.5 A /12.5 A, Isc PV: 15 A/15 A Output: 230 Vac, 50/60 Hz, rated apparent power 4600 VA, max apparent power 5060 VA, rated 20.0 A, max 22.0 A

F5000:

PV input: Max 600 Vdc, MPPT voltage range: 80-550 Vdc, max 12.5 A /12.5 A, Isc PV: 15 A/15 A Output: 230 Vac, 50/60 Hz, rated apparent power 5000 VA, max apparent power 5500 VA, rated 21.7 A, max 23.9 A

F5300:

PV input: Max 600 Vdc, MPPT voltage range: 80-550 Vdc, max 12.5 A /12.5 A, Isc PV: 15 A/15 A

Output: 230 Vac, 50/60 Hz, rated apparent power 5300 VA, max apparent power 5830 VA, rated 23.0 A, max 25.3 A

F6000:

PV input: Max 600 Vdc, MPPT voltage range: 80-550 Vdc, max 12.5 A /12.5 A, Isc PV: 15 A/15 A Output: 230 Vac, 50/60 Hz, rated apparent power 6000 VA, max apparent power 6000 VA, rated 26.1 A, max 26.1 A

End